



Manufacturer of forged pistons



HARD ENDURO PARTS

BETA

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
RR 125 ENDURO 2T - Single Ring	2018 - 2023	8220DA	54mm	53.95mm	STD	29.5mm	54.5mm		null	null	RSV5400	WP032	CW15	P2070	N1010
		8220DB	54.01mm	53.96mm	0.01mm						RSV5400				
		8220DC	54.02mm	53.97mm	0.02mm						RSV5400				
		8220D200	56mm	55.95mm	2mm						RSB5600				
		8220D400	58mm	57.95mm	4mm						RSB5800				
RR 125 ENDURO 2T - Dual Ring	2018 - 2023	8174DA	54mm	53.95mm	STD	29.5mm	54.5mm	null	null	null	RSV5400	WP032	CW15	P2070	N1010
		8174DB	54.01mm	53.96mm	0.01mm						RSV5400				
		8174DC	54.02mm	53.97mm	0.02mm						RSV5400				
		8174DD	54.03mm	53.98mm	0.03mm						RSV5400				
		8174D050	54.5mm	54.45mm	0.5mm						RSB5450				
		8174D100	55mm	54.95mm	1mm						RSB5500				
RR 200 ENDURO 2T	2019 - 2023	8325DA	62mm	61.95mm	STD	30mm	63mm	null	null	null	RSB6200	WP041	CW16	null	N1003
		8325DB	62.01mm	61.96mm	0.01mm						RSB6200				
		8325DC	62.02mm	61.97mm	0.02mm						RSB6200				
RR 250 ENDURO 2T	2013 - 2021	8310DA	66.4mm	66.34mm	STD	38.2mm	72mm	null	null	null	RSB6640	WP033	CW18	P2069	N1021
XTRAINER 250 2T	2018 - 2021	8310DB	66.41mm	66.35mm	0.01mm						RSB6640			2013 - 2017	
		8310DC	66.42mm	66.36mm	0.02mm						RSB6640				
RR 250 ENDURO 2T	2022-2023	8320DA	66.4mm	66.34mm	STD	38.1mm	72mm	null	null	null	RSB6640	WP033	CW18		null
XTRAINER 250 2T	2022-2023	8320DB	66.41mm	66.35mm	0.01mm						RSB6640				
		8320DC	66.42mm	66.36mm	0.02mm						RSB6640				
RR 300 ENDURO 2T	2013 - 2017	8298DA	72mm	71.94mm	STD	38mm	72mm	null	null	null	RSB7200	WP039	CW18	P2069	N1021
XTRAINER 300 2T	2015 - 2017	8298DB	72.01mm	71.95mm	0.01mm						RSB7200				
		8298DC	72.02mm	71.96mm	0.02mm						RSB7200				
RR 300 ENDURO 2T	2018 - 2021	8309DA	72mm	71.95mm	STD	37.5mm	72mm	null	null	null	RSB7200	WP042	CW18	P2073	N1021
XTRAINER 300 2T	2018 - 2021	8309DB	72.01mm	71.96mm	0.01mm						RSB7200			2018 - 2020	
		8309DC	72.02mm	71.97mm	0.02mm						RSB7200				

BETA

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
RR 300 ENDURO 2T	2022 - 2023	8324DA	73mm	72.95mm	STD	38mm	69.9mm	null	null	null	RSB7300	WP042	CW18	null	N1020
XTRAINER 300 2T	2022	8324DB	73.01mm	72.96mm	0.01mm						RSB7300				
		8324DC	73.02mm	72.97mm	0.02mm						RSB7300				
RR 350 ENDURO 4T	2015 - 2023	4019DA	88mm	87.96mm	STD	26mm	57.4mm	-6.23	13.20	13.40	TPR88.00	WP072-SP	CW18		
		4019DB	88.01mm	87.97mm	0.01mm						TPR88.00				
RR 390 ENDURO 4T	2016 - 2023	4014DA	88mm	87.96mm	STD	22.5mm	63.4mm	-6.00	12.50	12.70	TPR88.00	WP072-SP	CW18		
		4014DB	88.01mm	87.97mm	0.01mm						TPR88.00				
RR 430 ENDURO 4T	2016 - 2023	4007DA	95mm	94.96mm	STD	23.8mm	60.8mm	-6.80	12.30	12.50	RIK95.00	WP028-SP	CW19		
		4007DB	95.01mm	94.97mm	0.01mm						RIK95.00				
RR 480 ENDURO 4T	2016 - 2023	4013DA	100mm	99.96mm	STD	23.45mm	60.8mm	-7.00	11.90	12.30	1000ADS-2	WP028-SP	CW19		
		4013DB	100.01mm	99.97mm	0.01mm						1000ADS-2				

FANTIC

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
XE 125 2T & XX125 2T	2021 - 2022	8302DA	54mm	53.95mm	STD	28mm	54.5mm	null	null	null	RSV5400	WP032	CW15	P2018	N1047
		8302DB	54.01mm	53.96mm	0.01mm						RSV5400				
		8302DC	54.02mm	53.97mm	0.02mm						RSV5400				
		8302D200	56mm	55.95mm	2mm						RSB5600				
		8302D400	58mm	57.95mm	4mm						RSB5800				
XX 250 2T	2021 - 2022	8216DA	66.4mm	66.35mm	STD	38mm	68mm	null	null	null	RSB6640	WP033	CW18	P2028	N1021
		8216DB	66.41mm	66.36mm	0.01mm						RSB6640				
		8216DC	66.42mm	66.37mm	0.02mm						RSB6640				
XXF 250 4T & XEF 250 4T	2022	8957DA	77mm	76.96mm	STD	20.4mm	53.6mm	-3.38	13.80	14.00	RIK77.00D	WP070-SP	CW16	P4072 / P4072-R	BUSHING
		8957DB	77.01mm	76.97mm	0.01mm						RIK77.00D				

GAS GAS

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
EC 125 2T	2000 - 2011	8079DA	54mm	53.95mm	STD	28mm	54.5mm	null	null	null	RSB5400	WP032	CW15	null	N1011
		8079DB	54.01mm	53.96mm	0.01mm						RSB5400				
		8079DC	54.02mm	53.97mm	0.02mm						RSB5400				
EC 125 2T - Dual Ring	2021 - 2023	8174DA	54mm	53.95mm	STD	29.5mm	54.5mm	null	null	null	RSV5400	WP032	CW15	P2070	N1010
		8174DB	54.01mm	53.96mm	0.01mm						RSV5400				
		8174DC	54.02mm	53.97mm	0.02mm						RSV5400				
		8174DD	54.03mm	53.98mm	0.03mm						RSV5400				
		8174D050	54.5mm	54.45mm	0.5mm						RSB5450				
		8174D100	55mm	54.95mm	1mm						RSB5500				
EC 200 2T	2000 - 2014	8139DA	62.5mm	62.45mm	STD	32mm	65mm	null	null	null	RSB6250	WP040	CW18	null	N1020
EC 200 R 2T	2014 - 2020	8139DB	62.51mm	62.46mm	0.01mm						RSB6250				
		8139DC	62.52mm	62.47mm	0.02mm						RSB6250				
EC 250 2T	1997 - 2014	8052DA	66.4mm	66.33mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	P2021	N1021
EC 250 R 2T	2014 - 2020	8052DB	66.41mm	66.34mm	0.01mm						RSB6640				
MC 250 2T	1997 - 2008	8052DC	66.42mm	66.35mm	0.02mm						RSB6640				
SM 250 2T	1997 - 2008	8052DD	66.43mm	66.36mm	0.03mm						RSB6640				
MC 250 2T	2022 - 2023	8169DA	66.4mm	66.34mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	P2020	N1021
EX 250 2T	2022 - 2023	8169DB	66.41mm	66.35mm	0.01mm						RSB6640				
EC 250 2T	2021 - 2023	8169DC	66.42mm	66.36mm	0.02mm						RSB6640				
		8169DD	66.43mm	66.37mm	0.02mm						RSB6640				
		8169D160	68mm	67.94mm	1.6mm						RSB6800				
		8169D210	68.5mm	68.44mm	2.1mm						RSB6850				
EC 250 F	2010 - 2015	8612DA	77mm	76.96mm	STD	22.2mm	53.6mm	-2.80	12.50	13.50	RIK77.00D	WP070-SP	CW16	P4005	BUSHING
		8612DB	77.01mm	76.97mm	0.01mm						RIK77.00D				
		8612DC	77.02mm	76.98mm	0.02mm						RIK77.00D				

GAS GAS

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
EC 250 F	2021 - 2023	8865DA	78mm	77.96mm	STD	19.5mm	52.3mm	-2.10	13.20	13.20	RIK78.00	WP070-SP	CW16	P4059	BUSHING
		8865DB	78.01mm	77.97mm	0.01mm						RIK78.00				
		8865DC	78.02mm	77.98mm	0.02mm						RIK78.00				
EC 300 2T	2000 - 2014	8077DA	72mm	71.93mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	P2021	N1021
EC 300 R 2T	2014 - 2020	8077DB	72.01mm	71.94mm	0.01mm						RSB7200				
XC 300 2T	2014 - 2020	8077DC	72.02mm	71.95mm	0.02mm						RSB7200				
EC 300 2T	2021 - 2023	8327DA	72mm	71.94mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	P2023 / P2023-R	N1020
EX 300 2T	2021 - 2023	8327DB	72.01mm	71.95mm	0.01mm						RSB7200				
		8327DC	72.02mm	71.96mm	0.02mm						RSB7200				
EC 350 F	2021 - 2023	8990DA	88mm	87.96mm	STD	20.5mm	57.5mm	1.45	13.50	13.70	TPR88.00	WP072-SP	CW18	P4069	BUSHING
		8990DB	88.01mm	87.97mm	0.01mm						TPR88.00				
		8990DC	88.02mm	87.98mm	0.02mm						TPR88.00				

HONDA

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
CRF 450 X	2005 - 2017	8608DA	96mm	95.96mm	STD	24mm	62.1mm	-1.40	12.00	12.00	RIK96.00E	WP071-SP	CW19	P4023 / P4023-R	BUSHING
		8608DB	96.01mm	95.97mm	0.01mm						RIK96.00E				
		8608DC	96.02mm	95.98mm	0.02mm						RIK96.00E				
CRF 450 L	2019 - 2020	8968DA	96mm	95.96mm	STD	23.8mm	62.1mm	-3.39	12.00	12.20	TPR96.00	WP028-SP	CW19		
CRF 450 X	2019 - 2023	8968DB	96.01mm	95.97mm	0.01mm						TPR96.00				
CRF 450 RL	2021 - 2023	8968DC	96.02mm	95.98mm	0.02mm						TPR96.00				

HUSABERG

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING	
TE 125 - Dual Ring	2012 - 2014	8174DA	54mm	53.95mm	STD	29.5mm	54.5mm	null	null	null	RSV5400	WP032	CW15	P2011	N1010	
		8174DB	54.01mm	53.96mm	0.01mm						RSV5400					
		8174DC	54.02mm	53.97mm	0.02mm						RSV5400					
		8174DD	54.03mm	53.98mm	0.03mm						RSV5400					
		8174D050	54.5mm	54.45mm	0.5mm						RSB5450					
		8174D100	55mm	54.95mm	1mm						RSB5500					
TE 250	2011 - 2014	8272DA	66.4mm	66.34mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	P2023 / P2023-R	N1020	
		8272DB	66.41mm	66.35mm	0.01mm						RSB6640					
		8272DC	66.42mm	66.36mm	0.02mm						RSB6640					
FE 250 4-T	2013	8645DA	76mm	75.96mm	STD	19.5mm	54.8mm	-1.20	12.80	12.90	TPR76.00	WP070-SP	CW16	P4003	BUSHING	
		8645DB	76.01mm	75.97mm	0.01mm						TPR76.00					
		8645DC	76.02mm	75.98mm	0.02mm			-3.70		14.19	TPR76.00					
		8645D400	80mm	79.96mm	4mm						800XDS					
TE 300	2011 - 2014	8273DA	72mm	71.94mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	P2023 / P2023-R	N1020	
		8273DB	72.01mm	71.95mm	0.01mm						RSB7200					
		8273DC	72.02mm	71.96mm	0.02mm						RSB7200					
FE 350	2013	8885DA	88mm	87.95mm	STD	20.5mm	57.5mm	-0.10	12.30	12.30	TPR88.00	WP054-SP	CW18	P4040	BUSHING	
		8885DB	88.01mm	87.96mm	0.01mm						TPR88.00					
		8885DC	88.02mm	87.97mm	0.02mm						TPR88.00					

HUSQVARNA

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
TC 125	2014 - 2022	8174DA	54mm	53.95mm	STD	29.5mm	54.5mm	null	null	null	RSV5400	WP032	CW15	P2012	N1010
TE 125	2014 - 2016	8174DB	54.01mm	53.96mm	0.01mm						RSV5400			2014 - 2015	
Dual Ring		8174DC	54.02mm	53.97mm	0.02mm						RSV5400			TC 125	
		8174DD	54.03mm	53.98mm	0.03mm						RSV5400			2014 - 2016	
		8174D050	54.5mm	54.45mm	0.5mm						RSB5450			TE 125	
		8174D100	55mm	54.95mm	1mm						RSB5500				
TE 150	2017 - 2019	8311DA	58mm	57.95mm	STD	29.5mm	54.5mm	null	null	null	RSV5800	WP032	CW15	P2070	N1010
TE 150 i	2020 - 2023	8311DB	58.01mm	57.96mm	0.01mm						RSV5800				
Dual Ring		8311DC	58.02mm	57.97mm	0.02mm						RSV5800				
TC 250	2014 - 2022	8169DA	66.4mm	66.34mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	P2020	N1021
TE 250	2014 - 2017	8169DB	66.41mm	66.35mm	0.01mm						RSB6640				
TE 250 i	2018 - 2023	8169DC	66.42mm	66.36mm	0.02mm						RSB6640				
		8169DD	66.43mm	66.37mm	0.02mm						RSB6640				
		8169D160	68mm	67.94mm	STDmm						RSB6800				
		8169D210	68.5mm	68.44mm	STDmm						RSB6850				
WR 300	2009 - 2013	8250DA	72mm	71.94mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	P2023 / P2023-R	N1020
		8250DB	72.01mm	71.95mm	0.01mm						RSB7200				
		8250DC	72.02mm	71.96mm	0.02mm						RSB7200				
TE 300	2014 - 2017	8327DA	72mm	71.94mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	P2023 / P2023-R	N1020
TX 300	2017 - 2019	8327DB	72.01mm	71.95mm	0.01mm						RSB7200				
TE 300i	2018 - 2023	8327DC	72.02mm	71.96mm	0.02mm						RSB7200				
TX 300i	2020 - 2023														
FC 350	2016 - 2022	8807DA	88mm	87.95mm	STD	20.5mm	57.5mm	1.25	14.10	14.20	TPR88.00	WP072-SP	CW18	P4069	BUSHING
FX 350	2017 - 2022	8807DB	88.01mm	87.96mm	0.01mm				2016 - 2019		TPR88.00			2016 - 2023	
		8807DC	88.02mm	87.97mm	0.02mm						TPR88.00				

HUSQVARNA

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
FE 350	2014 - 2016	8885DA	88mm	87.95mm	STD	20.5mm	57.5mm	-0.10	12.30	12.30	TPR88.00	WP054-SP	CW18	P4040	BUSHING
		8885DB	88.01mm	87.96mm	0.01mm						TPR88.00				
		8885DC	88.02mm	87.97mm	0.02mm						TPR88.00				
FE 350	2017 - 2019	8941DA	88mm	87.95mm	STD	20.5mm	57.5mm	-1.37	12.30	12.50	TPR88.00	WP054-SP	CW18	P4069	BUSHING
		8941DB	88.01mm	87.96mm	0.01mm						TPR88.00				
		8941DC	88.02mm	87.97mm	0.02mm						TPR88.00				
FE 350	2020 - 2023	8990DA	88mm	87.96mm	STD	20.5mm	57.5mm	1.45	13.50	13.70	TPR88.00	WP072-SP	CW18	P4069	BUSHING
		8990DB	88.01mm	87.97mm	0.01mm						TPR88.00				
		8990DC	88.02mm	87.98mm	0.02mm						TPR88.00				



KTM

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
125 EXC	2001 - 2016	8174DA	54mm	53.95mm	STD	29.5mm	54.5mm	null	null	null	RSV5400	WP032	CW15	P2011	N1010
125 XC-W	2017 - 2019	8174DB	54.01mm	53.96mm	0.01mm						RSV5400			2001 - 2006	
125 XC	2021 - 2023	8174DC	54.02mm	53.97mm	0.02mm						RSV5400				
Dual Ring		8174DD	54.03mm	53.98mm	0.03mm						RSV5400				
		8174D050	54.5mm	54.45mm	0.5mm						RSB5450			P2012	
		8174D100	55mm	54.95mm	1mm						RSB5500			2007 - 2016	
150 SX	2016 - 2022	8311DA	58mm	57.95mm	STD	29.5mm	54.5mm	null	null	null	RSV5800	WP032	CW15	P2070	N1010
150 XC-W	2017 - 2019	8311DB	58.01mm	57.96mm	0.01mm						RSV5800				
150 XC-W TPi	2020 - 2023	8311DC	58.02mm	57.97mm	0.02mm						RSV5800				
150 EXC TPi	2020 - 2023														
Dual Ring															
200 EXC	1998 - 2016	8048DA	64mm	63.94mm	STD	28mm	60mm	null	null	null	RSB6400	WP027	CW16	P2031	N1013
200 SX	2003 - 2005	8048DB	64.01mm	63.95mm	0.01mm						RSB6400				
		8048DC	64.02mm	63.96mm	0.02mm						RSB6400				
250 EXC	2006 - 2017	8169DA	66.4mm	66.34mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	P2023	N1021
250 EXC TPi	2018 - 2023	8169DB	66.41mm	66.35mm	0.01mm						RSB6640				
250 XC-W	2015 - 2023	8169DC	66.42mm	66.36mm	0.02mm						RSB6640				
FREERIDE 250 R	2014 - 2019	8169DD	66.43mm	66.37mm	0.02mm						RSB6640				
		8169D160	68mm	67.94mm	1.6mm						RSB6800				
		8169D210	68.5mm	68.44mm	2.1mm						RSB6850				
250 EXC-F	2014 - 2022	8865DA	78mm	77.96mm	STD	19.5mm	52.3mm	-2.10	13.20	13.20	RIK78.00	WP070-SP	CW16	P4059	BUSHING
		8865DB	78.01mm	77.97mm	0.01mm						RIK78.00			2014 - 2016	
		8865DC	78.02mm	77.98mm	0.02mm						RIK78.00				
300 EXC	2004 - 2005	8219DA	72mm	71.94mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	P2023 / P2023-R	N1020
300 MXC	2004 - 2005	8219DB	72.01mm	71.95mm	0.01mm						RSB7200				
		8219DC	72.02mm	71.96mm	0.02mm						RSB7200				

KTM

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WÖSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
300 EXC	2006 - 2017	8327DA	72mm	71.94mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	P2023 / P2023-R	N1020
300 XC	2006 - 2019	8327DB	72.01mm	71.95mm	0.01mm						RSB7200				
300 XC-W	2006 - 2018	8327DC	72.02mm	71.96mm	0.02mm						RSB7200				
300 EXC TPi	2018 - 2023														
300 XC-W TPi	2018 - 2023														
300 XC TPi	2020 - 2023														
350 EXC-F	2012 - 2016	8885DA	88mm	87.95mm	STD	20.5mm	57.5mm	-0.10	12.30	12.30	TPR88.00	WP054-SP	CW18	P4040	BUSHING
		8885DB	88.01mm	87.96mm	0.01mm						TPR88.00			2012 - 2013	
		8885DC	88.02mm	87.97mm	0.02mm						TPR88.00				
350 EXC-F	2017 - 2019	8941DA	88mm	87.95mm	STD	20.5mm	57.5mm	-1.37	12.30	12.50	TPR88.00	WP054-SP	CW18	P4069	BUSHING
		8941DB	88.01mm	87.96mm	0.01mm						TPR88.00				
		8941DC	88.02mm	87.97mm	0.02mm						TPR88.00				
350 EXC-F	2020 - 2022	8990DA	88mm	87.96mm	STD	20.5mm	57.5mm	1.45	13.50	13.70	TPR88.00	WP072-SP	CW18	P4069	BUSHING
		8990DB	88.01mm	87.97mm	0.01mm						TPR88.00				
		8990DC	88.02mm	87.98mm	0.02mm						TPR88.00				
450 EXC	2012 - 2016	8898DA	95mm	94.95mm	STD	22.8mm	63.4mm	-1.60	11.80	11.80	RIK95.00	WP071-SP	CW19	P4057	BUSHING
450 EXC-F	2017 - 2021	8898DB	95.01mm	94.96mm	0.01mm						RIK95.00			2012 - 2013	
450 XC-W	2012 - 2013	8898DC	95.02mm	94.97mm	0.02mm						RIK95.00			EXC	
450 EXC-F	2022 - 2023	4070DA	95mm	94.95mm	STD	22.8mm	63.4mm	1.60	12.75	12.75	RIK95.00	WP028-SP	CW19	P4068	BUSHING
450 XCF-W	2023	4070DB	95.01mm	94.96mm	0.01mm						RIK95.00				
		4070DC	95.02mm	94.97mm	0.02mm						RIK95.00				

RIEJU

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
MR RACING 200 2T	2021 - 2022	8139DA	62.5mm	62.45mm	STD	32mm	65mm	null	null	null	RSB6250	WP040	CW18	null	N1020
MR RANGER 200 2T	2021 - 2022	8139DB	62.51mm	62.46mm	0.01mm						RSB6250				
		8139DC	62.52mm	62.47mm	0.02mm						RSB6250				
MR PRO 250 2T	2021 - 2022	8052DA	66.4mm	66.33mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	P2021	N1021
MR RACING 250 2T	2021 - 2022	8052DB	66.41mm	66.34mm	0.01mm						RSB6640				
		8052DC	66.42mm	66.35mm	0.02mm						RSB6640				
		8052DD	66.43mm	66.36mm	0.03mm						RSB6640				
SIX DAYS 300 2T	2022	8077DA	72mm	71.93mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	P2021	N1021
MR PRO 300 2T	2021 - 2022	8077DB	72.01mm	71.94mm	0.01mm						RSB7200				
MR RACING 300 2T	2021 - 2022	8077DC	72.02mm	71.95mm	0.02mm						RSB7200				
MR RANGER 300 2T	2021 - 2022														



SHERCO

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
125 SC-R	2019	8303DA	54mm	53.93mm	STD	29mm	54.5mm	null	null	null	RSV5400	WP032	CW15	null	N1007
125 SE-R	2018 - 2021	8303DB	54.01mm	53.94mm	0.01mm						RSV5400				
		8303DC	54.02mm	53.95mm	0.02mm						RSV5400				
250 SE	2014 - 2016	8308DA	66.4mm	66.34mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	null	N1021
250 SE-R	2014 - 2016	8308DB	66.41mm	66.35mm	0.01mm						RSB6640				
		8308DC	66.42mm	66.36mm	0.02mm						RSB6640				
250 SE	2017 - 2021	8305DA	66.4mm	66.34mm	STD	37.5mm	72mm	null	null	null	RSB6640	WP040	CW18	null	N1021
250 SE-R	2017 - 2021	8305DB	66.41mm	66.35mm	0.01mm						RSB6640				
250 SC-R	2019	8305DC	66.42mm	66.36mm	0.02mm						RSB6640				
250 SE-F	2014 - 2018	8959DA	76mm	75.96mm	STD	18.4mm	54.8mm	-3.84	13.20	13.40	TPR76.00	WP059-SP	CW16		
250 SE F-R	2014 - 2018	8959DB	76.01mm	75.97mm	0.01mm						TPR76.00				
SE 2.5i-FR	2014 - 2018	8959DC	76.02mm	75.98mm	0.02mm						TPR76.00				
250 SC-F	2019 - 2021	8988DA	78mm	77.96mm	STD	18.4mm	52.2mm	-3.24	13.00	13.20	RIK78.00	WP113-SP	CW16		
		8988DB	78.01mm	77.97mm	0.01mm						RIK78.00				
		8988DC	78.02mm	77.98mm	0.02mm						RIK78.00				
300 SE	2014 - 2015	8294DA	72mm	71.93mm	STD	38mm	72mm	null	null	null	RSB7200	WP033	CW18	null	N1021
300 SE-R	2014 - 2015	8294DB	72.01mm	71.94mm	0.01mm						RSB7200				
		8294DC	72.02mm	71.95mm	0.02mm						RSB7200				
300 SE	2016 - 2021	8307DA	72mm	71.93mm	STD	37.5mm	72mm	null	null	null	RSB7200	WP033	CW18	null	N1021
300 SE-R	2016 - 2021	8307DB	72.01mm	71.94mm	0.01mm						RSB7200				
300 SC-R	2019	8307DC	72.02mm	71.95mm	0.02mm						RSB7200				
300 SE-F	2014 - 2018	8906DA	84mm	83.94mm	STD	18.9mm	52.25mm	-5.00	OEM	OEM	840XDS	WP066-SP	CW16		
300 SE-F R	2014 - 2018	8906DB	84.01mm	83.95mm	0.01mm						840XDS				
SE 3.0i-FR	2014 - 2018	8906DC	84mm	83.94mm	0.02mm						840XDS				
300 SC-F	2019 - 2021	8991DA	84mm	83.95mm	STD	18.9mm	54.8mm	-4.47	12.60	12.60	RIK84.00B	WP059-SP	CW16		
		8991DB	84.01mm	83.96mm	0.01mm						RIK84.00B				
		8991DC	84.02mm	83.97mm	0.02mm						RIK84.00B				

TM RACING

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
MX 125 2T	1992 - 2019	8135DA	54mm	53.94mm	STD	29mm	54.5mm	null	null	null	RSB5400	WP032	CW15	P2066	N1010
EN 125 2T	1992 - 2019	8135DB	54.01mm	53.95mm	0.01mm						RSB5400			2006 - 2014	
		8135DC	54.02mm	53.96mm	0.02mm						RSB5400				
		8135DD	54.03mm	53.97mm	0.03mm						RSB5400				
		8135DE	54.04mm	53.98mm	0.04mm						RSB5400				
MX 125 2T	2020-2023	8314DA	54,00mm	53.94mm	STD	29.01mm	54.5mm				RSV5400	WP067	CW15		
EN 125 2T	2020-2023	8314DB	54.01mm	53.95mm	0.01mm						RSV5400				
		8314DC	54.02mm	53.96mm	0.02mm						RSV5400				
MX 250 2T	1999 - 2019	8136DA	66.4mm	66.33mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	P2074	N1048
EN 250 2T	1999 - 2019	8136DB	66.41mm	66.34mm	0.01mm						RSB6640			2006 - 2021	
		8136DC	66.42mm	66.35mm	0.02mm						RSB6640				
		8136DD	66.43mm	66.36mm	0.03mm						RSB6640				
MX 250 2T	2020 - 2023	8313DA	66.4mm	66.34mm	STD	38mm	72mm	null	null	null	RSB6640	WP033	CW18	P2074	N1048
EN 250 2T	2020 - 2023	8313DB	66.41mm	66.35mm	0.01mm						RSB6640				
		8313DC	66.42mm	66.36mm	0.02mm						RSB6640				
MX 300 2T	2002 - 2019	8295DA	72mm	71.93mm	STD	38mm	73.7mm	null	null	null	RST7200	WP033	CW18	P2074	N1048
EN 300 2T	2002 - 2019	8295DB	72.01mm	71.94mm	0.01mm						RST7200			2006 - 2021	
		8295DC	72.02mm	71.95mm	0.02mm						RST7200				
MX 300 2T	2020 - 2023	8312DA	72mm	71.94mm	STD	38mm	72mm	null	null	null	RSB7200	WP039	CW18	P2074	N1048
EN 300 2T	2020 - 2023	8312DB	72.01mm	71.95mm	0.01mm						RSB7200				
		8312DC	72.02mm	71.96mm	0.02mm						RSB7200				

YAMAHA

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
YZ 125	2005 - 2021	8302DA	54mm	53.95mm	STD	28mm	54.5mm	null		null	RSV5400	WP032	CW15	P2018	N1047
YZ 125 X	2020 - 2022	8302DB	54.01mm	53.96mm	0.01mm						RSV5400				
Dual Ring		8302DC	54.02mm	53.97mm	0.02mm						RSV5400				
		8302D200	56mm	55.95mm	2mm						RSB5600				
		8302D400	58mm	57.95mm	4mm						RSB5800				
YZ 125	2022 - 2023	8331DA	54mm	53.95mm	STD	28mm	54.5mm	null	null	null	RSB5400	WP032	CW15	P2077	N1047
YZ 125 X	2023	8331DB	54.01mm	53.96mm	0.01mm						RSB5400				
Dual Ring		8331DC	54.02mm	53.97mm	0.02mm						RSB5400				
YZ 250	1999 - 2023	8216DA	66.4mm	66.35mm	STD	38mm	68mm	null	null	null	RSB6640	WP033	CW18	P2028	N1021
YZ 250 X	2016 - 2023	8216DB	66.41mm	66.36mm	0.01mm						RSB6640				
		8216DC	66.42mm	66.37mm	0.02mm						RSB6640				
		8216D060	67mm	66.95mm	0.6mm						RSB6700				
		8216D110	67.5mm	67.45mm	0.6mm						RSB6750				
		8216D210	68.5mm	68.45mm	2.1mm						RSB6850				
		8216D560	72mm	71.95mm	5.6mm						RSB7200				
YZ 250 F	2016 - 2018	8942DA	77mm	76.95mm	STD	20.25mm	53.6mm	-3.07	13.50	13.70	RIK77.00D	WP070-SP	CW16	P4072 / P4072-R	BUSHING
YZ 250 FX	2017 - 2019	8942DB	77.01mm	76.96mm	0.01mm						RIK77.00D				
WR 250 F	2018 - 2019	8942DC	77.02mm	76.97mm	0.02mm						RIK77.00D				
YZ 250 F	2019 - 2023	8957DA	77mm	76.96mm	STD	20.4mm	53.6mm	-3.38	13.80	14.00	RIK77.00D	WP070-SP	CW16	P4072 / P4072-R	BUSHING
YZ 250 FX	2020 - 2023	8957DB	77.01mm	76.97mm	0.01mm						RIK77.00D				
WR 250 F	2020 - 2023														
YZ 450 F	2014 - 2017	8895DA	97mm	96.96mm	STD	24mm	60.8mm	-4.90	12.50	12.50	RIK97.00	WP072-SP	CW18	P4032	BUSHING
YZ 450 FX	2016 - 2018	8895DB	97.01mm	96.97mm	0.01mm						RIK97.00				
WR 450 F	2016 - 2018	8895DC	97.02mm	96.98mm	0.02mm						RIK97.00				

YAMAHA

MODEL	YEARS	PISTON SINGLE	BORE SIZE	PISTON SIZE	OVERSIZE	COMPRESSION HEIGHT	STROKE	CC DOME VOLUME	OEM CR	WOSSNER CR	RING SET	PISTON PIN	CLIP	CON ROD	SE BEARING
YZ 450 F	2018 - 2019	8949DA	97mm	96.96mm	STD	24mm	60.8mm	-3.45	12.80	12.90	RIK97.00	WP072-SP	CW18	P4032	BUSHING
YZ 450 FX	2019 - 2020	8949DB	97.01mm	96.97mm	0.01mm			-3.49			RIK97.00				
WR 450 F	2019 - 2020	8949DC	97.02mm	96.98mm	0.02mm						RIK97.00				
YZ 450 F	2020 - 2022	8964DA	97mm	96.96mm	STD	24mm	60.9mm	-9.45	13.00	13.20	RIK97.00	WP072-SP	CW18	P4082-R / P4085	BUSHING
YZ 450 FX	2021 - 2023	8964DB	97.01mm	96.97mm	0.01mm						RIK97.00				
WR 450 F	2021 - 2023	8964DC	97.02mm	96.98mm	0.02mm						RIK97.00				





Manufacturer of forged pistons



WÖSSNER GMBH

Konrad-Zuse-Strasse 2
D-79576 Weil am Rhein Germany

+49 (0)7621 – 956649 – 0
info@woessner-kolben.de



WÖSSNER ITALIA

Sede legale, amministrativa
e operativa

Via Fratelli Varian, 7
10040 Leini

+39 011 9221841
info@woessner.it



WÖSSNER ASIA

No.111, Ruicheng 1st St., Dali Dist.
Taichung City 41272
Taiwan

+886 04-24952111
info@wossnerasia.com



FORGING GROUP MONALE S.R.L.

Sede Amministrativa
E Operativa:
Str. Castellero, 18/20,
14013 Monale d'Asti, AT, Italy

Sede Legale:
Corso Re Umberto, 56,
10128 Torino, TO, Italy

+39 0141 / 669819
enquiries@forging-group.com



WÖSSNER UK

Unit 6 Allshots Enterprise Park
Woodhouse Lane
Kelvedon, Essex
C05 9DF

+44 (0)1376 583030
enquiries@wossnerpistons.co.uk



WÖSSNER NORTH AMERICA

38167 Airport Parkway #6
Willoughby, OH 44094
USA

+01 440.942.8833
info@wossnerpistons.com

